
SHAN GIN

外·徑·車·刀


TOOLHOLDERS



MCBN








MCBNR/L-1616K-12


Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MCBNR/L-1616K-12	16	16	125	13	CN..1204..	MLP46-A	CMS432	PL25	MS625TX	MC620	ETL15	0.29
MCBNR/L-2020K-12	20	20	125	17								0.45
MCBNR/L-2525M-12	25	25	150	22					MS630TX			0.84
MCBNR/L-3232P-12	32	32	170	29								1.51

MCKN








Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MCKNR/L-1616K-12	16	16	125	20	CN..1204..	MLP46-A	CMS432	PL25	MS625TX	MC620	ETL15	0.29
MCKNR/L-2020K-12	20	20	125	25								0.45
MCKNR/L-2525M-12	25	25	150	32					MS630TX			0.84
MCKNR/L-3232P-12	32	32	170	40								1.51

DCLN







Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DCLNR/L-1616K-12	16	16	125	20	CN..1204..	CMS432	MS6011H	--	MCD425	ETL20	0.29
DCLNR/L-2020K-12	20	20	125	25							0.45
DCLNR/L-2525M-12	25	25	150	32							0.84
DCLNR/L-3232P-12	32	32	170	40							1.51

MCLN







Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MCLNR/L-1616K-12	16	16	125	20	CN..1204..	MLP46-A	CMS432	PL25	MS625TX	MC620	ETL15	0.29
MCLNR/L-2020K-12	20	20	125	25								0.45
MCLNR/L-2525M-12	25	25	150	32					MS630TX			0.84
MCLNR/L-3232P-12	32	32	170	40								1.51

PCLN







Right-hand shown

Item code	Dimensions,mm				Insert	Lever	Screw	Shim pin	Punch	Shim	Wrench	Weight Kg
	H(H1)	B	L	F								
PCLNR/L-2020K-12	20	20	125	25	CN..1204..	LCL4	LCS4	LSP4	PC0304	CPS422	PL30	0.45
PCLNR/L-2525M-12	25	25	150	32								0.84
PCLNR/L-3232P-12	32	32	170	40								1.51

MCNN






Neutral

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MCNNN-1616K-12	16	16	125	8	CN..1204..	MLP46-A	CMS432	PL25	MS625TX	MC620	ETL15	0.27
MCNNN-2020K-12	20	20	125	10								0.42
MCNNN-2525M-12	25	25	150	12.5					MS630TX			0.78
MCNNN-3232P-12	32	32	170	16								1.43

DDJN







Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DDJNR/L-2020K-1504	20	20	125	25	DN..1504..	DMS442	MS6011H	--	MCD430	ETL20	0.45
DDJNR/L-2525M-1504	25	25	150	32							0.84
DDJNR/L-3232P-1504	32	32	170	40							1.51
DDJNR/L-2020K-1506	20	20	125	25	DN..1506..	DMS432	MS6011H	--	MCD430	ETL20	0.45
DDJNR/L-2525M-1506	25	25	150	32							0.84
DDJNR/L-3232P-1506	32	32	170	40							1.51

※此刀架本體共用。The tool is basically the same, only difference in shims.

MDJN







Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MDJNR/L-2020K-1504	20	20	125	25	DN..1504..	MLP46L-A	DMS442	PL25	MS625TX	MC622	ETL15	0.45
MDJNR/L-2525M-1504	25	25	150	32					MS630TX			0.84
MDJNR/L-2020K-1506	20	20	125	25	DN..1506..	MLP46L-A	DMS432	PL25	MS625TX	MC622	ETL15	0.45
MDJNR/L-2525M-1506	25	25	150	32					MS630TX			0.84

※此刀架本體共用。The tool is basically the same, only difference in shims.

DDQN







Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DDQNR/L-2020K-1504	20	20	125	25	DN..1504..	DMS442	MS6011H	--	MCD430	ETL20	0.45
DDQNR/L-2525M-1504	25	25	150	32							0.84
DDQNR/L-3232P-1504	32	32	170	40							1.51
DDQNR/L-2020K-1506	20	20	125	25	DN..1506..	DMS432	MS6011H	--	MCD430	ETL20	0.45
DDQNR/L-2525M-1506	25	25	150	32							0.84
DDQNR/L-3232P-1506	32	32	170	40							1.51

※此刀架本體共用。The tool is basically the same, only difference in shims.

MSDN







Neutral

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MSDNN-1616K-12	16	16	125	8	SN..1204..	MLP46-A	SMS432	PL25	MS625TX	MC620	ETL15	0.26
MSDNN-2020K-12	20	20	125	10								0.41
MSDNN-2525M-12	25	25	150	12.5					MS630TX			0.77

MSSN






Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MSSNR/L-1616K-12	16	16	125	20	SN..1204..	MLP46-A	SMS432	PL25	MS625TX	MC620	ETL15	0.29
MSSNR/L-2020K-12	20	20	125	25								0.45
MSSNR/L-2525M-12	25	25	150	32					MS630TX			0.84

MTEN






Neutral

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MTENN-1216K-16	12	16	125	8	TN..1604..	MCP3	TWS322	PL30	MCS3S-09	MCW3-P40	PL40	0.14
MTENN-1616K-16	16	16	125	8								0.29
MTENN-2020K-16	20	20	125	10								0.45
MTENN-2525M-16	25	25	150	12.5								0.84

DTFN






Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DTFNR/L-1616K-16	16	16	125	20	TN..1604..	TWS322	MS4008H	PL25	MCD324B	PL40	0.29
DTFNR/L-2020K-16	20	20	125	25							0.45
DTFNR/L-2525M-16	25	25	150	32							0.84
DTFNR/L-3232P-16	32	32	170	40							1.51

MTFN






Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MTFNR/L-1616K-16	16	16	125	20	TN..1604..	MLP34L-A	TMS322	PL20	MS625TX	MC620	ETL15	0.29
MTFNR/L-2020K-16	20	20	125	25								0.45
MTFNR/L-2525M-16	25	25	150	32					MS630TX			0.84

PTFN






Right-hand shown

Item code	Dimensions,mm				Insert	Lever	Screw	Shim pin	Punch	Shim	Wrench	Weight Kg
	H(H1)	B	L	F								
PTFNR/L-2020K-16	20	20	125	25	TN..1604..	LCL33	LCS3	LSP3	PC0304	TPS322	PL25	0.45
PTFNR/L-2525M-16	25	25	150	32								0.84

DTJN






Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DTJNR/L-2020K-16	20	20	125	25	TN..1604..	TWS322	MS4008H	PL25	MCD324B	PL40	0.45
DTJNR/L-2525M-16	25	25	150	32							0.84
DTJNR/L-3232P-16	32	32	170	40							1.51

MTJN






MTJNR-1216K-16 Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Screw	Wrench	Shim	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MTJNR/L-1216K-16	12	16	125	21	TN..1604..	MCP3	MCS3S-11	PL30	TWS322	MCW3-P40	PL40	0.14
MTJNR/L-1616K-16	16	16	125	21								0.29
MTJNR/L-2020K-16	20	20	125	25								0.45
MTJNR/L-2525M-16	25	25	150	32								0.84
MTJNR/L-3232P-16	32	32	170	40								1.51
NEW **MTJNR/L-2525M-22**	25	25	150	32	TN..2204..	MCP4-A	MCS3S-11	PL30	TWS432	MCW4A-P40	PL40	0.84
NEW **MTJNR/L-3232P-22**	32	32	170	40								1.51

MTQN







Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Screw	Wrench	Shim	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MTQNR/L-2020K-16	20	20	125	25	TN..1604..	MCP3	MCS3S-11	PL30	TWS322	MCW3-P40	PL40	0.45
MTQNR/L-2525M-16	25	25	150	32								0.84
MTQNR/L-3232P-16	32	32	170	40								1.51

DVJN









Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DVJNR/L-2020K-16	20	20	125	25	VN..1604..	VMS322	MDS050H65T	PL35	MCD331	ETL20	0.45
DVJNR/L-2525M-16	25	25	150	32							0.84
DVJNR/L-3232P-16	32	32	170	40							1.51

MVJN








MVJNR/L-1216K-16


Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MVJNR/L-1216K-16	12	16	125	22	VN..1604..	MLP34L-A	VMS322	PL20	MS625TX	MC622	ETL15	0.14
MVJNR/L-1616K-16	16	16	125	22								0.29
MVJNR/L-2020K-16	20	20	125	25								0.45
MVJNR/L-2525M-16	25	25	150	32					MS630TX			0.84
MVJNR/L-3232P-16	32	32	170	40								1.51

DVQN









Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DVQNR/L-2020K-16	20	20	125	25	VN..1604..	VMS322	MDS050H65T	PL35	MCD331	ETL20	0.45
DVQNR/L-2525M-16	25	25	150	32							0.84
DVQNR/L-3232P-16	32	32	170	40							1.51

MVQN









Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MVQNR/L-2020K-16	20	20	125	25	VN..1604..	MLP34L-A	VMS322	PL20	MS625TX	MC622	ETL15	0.45
MVQNR/L-2525M-16	25	25	150	32					MS630TX			0.84
MVQNR/L-3232P-16	32	32	170	40								1.51

DVVNN






Neutral

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DVVNN-1616K-16	16	16	125	8	VN..1604..	VMS322	MDS050H65T	PL35	MCD331	ETL20	0.29
DVVNN-2020K-16	20	20	125	10							0.45
DVVNN-2525M-16	25	25	150	12.5							0.84
DVVNN-3232P-16	32	32	170	16							1.51

MVVNN







Neutral

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MVVNN-1616K-16	16	16	125	8	VN..1604..	MLP34L-A	VMS322	PL20	MS625TX	MC622	ETL15	0.29
MVVNN-2020K-16	20	20	125	10								0.45
MVVNN-2525M-16	25	25	150	12.5					MS630TX			0.84

DVVNR








Right-hand shown

Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DVVNR-2020K-16	20	20	125	5	VN..1604..	VMS322	MDS050H65T	PL35	MCD331	ETL20	0.45
DVVNR-2525M-16	25	25	150	5							0.84
DVVNR-3232P-16	32	32	170	5							1.51

MWLN






Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MWLNR/L-2020K-08	20	20	125	25	WN..0804..	MLP46-A	WMS432	PL25	MS625TX	MC620	ETL15	0.45
MWLNR/L-2525M-08	25	25	150	32					MS630TX			0.84
MWLNR/L-3232P-08	32	32	170	40								1.51

MWLN-N





Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
MWLNR/L-2020K-08N	20	20	125	25	WN..0804..	MLP46-A	WMS432	PL25	MS625TX	MC620	ETL15	0.45
MWLNR/L-2525M-08N	25	25	150	32					MS630TX			0.84

DWLN




FIG-1





FIG-2




Right-hand shown

FIG-1 Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DWLNR/L-2020K-08N	20	20	125	25	WN..0804..	WMS432	MS6011H	--	MCD425	ETL20	0.45

FIG-2 Item code	Dimensions,mm				Insert	Shim	Screw	Wrench	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F							
DWLNR/L-2525M-08	25	25	150	32	WN..0804..	WMS432	MS6011H	--	MCD425	ETL20	0.84
DWLNR/L-3232P-08	32	32	170	40							1.51

WWLN






Right-hand shown

Item code	Dimensions,mm				Insert	Pin	Screw	Wrench	Shim	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
WWLNR/L-1620K-08	16	20	125	25	WN..0804..	MCP4	MCS3S-09	PL30	WMS432	WCW6-P4	PL40	0.31
WWLNR/L-2020K-08	20	20	125	25								0.45
WWLNR/L-2525M-08	25	25	150	32								0.84

SCBC






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SCBCR/L-1616K-09	16	16	125	13.5	CC..09T3..	MS4011A	ETF15	0.26
SCBCR/L-2020K-09	20	20	125	17.5				0.41
SCBCR/L-2525M-09	25	25	150	22.5				0.74

SCKC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SCKCR/L-1212K-09	12	12	125	16	CC..09T3..	MS4011A	ETF15	0.15
SCKCR/L-1616K-09	16	16	125	20				0.26
SCKCR/L-2020K-09	20	20	125	25				0.41
SCKCR/L-2525M-09	25	25	150	32				0.77

SCLC






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SCLCR/L-1010H-06	10	10	100	12	CC..0602..	MS2506A	ETF09	0.08
SCLCR/L-1010K-06	10	10	125	12				0.11
SCLCR/L-1212H-09	12	12	100	16	CC..09T3..	MS4011A	ETF15	0.11
SCLCR/L-1212K-09	12	12	125	16				0.14
SCLCR/L-1616K-09	16	16	125	20				0.26
SCLCR/L-2020K-09	20	20	125	25				0.41
SCLCR/L-2525M-09	25	25	150	32				0.77
SCLCR/L-2020K-12	20	20	125	25	CC..1204..	MS5011A	ETF20	0.41
SCLCR/L-2525M-12	25	25	150	32				0.77
SCLCR/L-3232P-12	32	32	170	40				1.43

SCL2C







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SCL2CR/L-0808H-06	8	8	100	8	CC..0602..	MS2506A	ETF09	0.07
SCL2CR/L-1010H-06	10	10	100	10				0.08
SCL2CR/L-1212H-09	12	12	100	12	CC..09T3..	MS4011A	ETF15	0.12
SCL2CR/L-1616K-09	16	16	125	16				0.26
SCL2CR/L-2020K-09	20	20	125	20				0.41
SCL2CR/L-2525M-09	25	25	150	25				0.77

SCNC









Neutral

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SCNCN-1616K-06	16	16	125	8	CC..0602..	MS2506A	ETF09	0.26
SCNCN-1212H-09	12	12	100	6	CC..09T3..	MS4011A	ETF15	0.12
SCNCN-1212K-09	12	12	125	6				0.17
SCNCN-1616K-09	16	16	125	8				0.26
SCNCN-2020K-09	20	20	125	10				0.41
SCNCN-2525M-09	25	25	150	12.5				0.77
SCNCN-1616K-12	16	16	125	8	CC..1204..	MS5011A	ETF20	0.26
SCNCN-2020K-12	20	20	125	10				0.41
SCNCN-2525M-12	25	25	150	12.5				0.77

SCNP








Neutral

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SCNPN-1212K-09	12	12	125	6	CP..0903..	MS4011A	ETF15	0.15
SCNPN-1616K-09	16	16	125	8				0.26
SCNPN-2020K-09	20	20	125	10				0.41
SCNPN-2525M-09	25	25	150	12.5				0.77

SDAC







SDACR-1010H-11
SDACR-1212K-11

Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SDACR/L-1010H-07	10	10	100	10	DC..0702..	MS2506B	ETF09	0.08
SDACR/L-1212K-07	12	12	125	12				0.14
SDACR/L-1616K-07	16	16	125	16				0.25
SDACR-4.4K-07	12.7	12.7	125	12.7				0.16
SDACR-1010H-11	10	10	100	10	DC..11T3..	MS4009A	ETF15	0.08
SDACR-1212K-11	12	12	125	12		MS4011A		0.14
SDACR-1616K-11	16	16	125	16				0.25
SDACR-2020K-11	20	20	125	20				0.39

SDFC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SDFCR/L-1212K-07	12	12	125	16	DC..0702..	MS2506B	ETF09	0.15
SDFCR/L-1212K-11	12	12	125	19	DC..11T3..	MS4011A	ETF15	0.15
SDFCR/L-1616K-11	16	16	125	20				0.26

SDJC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SDJCR/L-1010H-07	10	10	100	12	DC..0702..	MS2506B	ETF09	0.08
SDJCR/L-1212H-07	12	12	100	16				0.12
SDJCR/L-1212K-07	12	12	125	16				0.15
SDJCR/L-1616K-07	16	16	125	20				0.26
SDJCR/L-2020K-07	20	20	125	25				0.41
SDJCR/L-1010K-11	10	10	125	12	DC..11T3..	MS4009A	ETF15	0.08
SDJCR/L-1212H-11	12	12	100	16		MS4011A		0.12
SDJCR/L-1212K-11	12	12	125	16				0.15
SDJCR/L-1616K-11	16	16	125	20				0.26
SDJCR/L-2020K-11	20	20	125	25				0.41
SDJCR/L-2525M-11	25	25	150	32				0.77
SDJCR/L-3232P-11	32	32	170	40				1.37

SDJ2C






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SDJ2CR/L-0808H-07	8	8	100	8	DC..0702..	MS2506B	ETF09	0.06
SDJ2CR/L-1010H-07	10	10	100	10				0.08
SDJ2CR-1010K-07	10	10	125	10				0.12
SDJ2CR/L-1212H-07	12	12	100	12				0.12
SDJ2CR/L-1212K-07	12	12	125	12				0.15
SDJ2CR/L-1616K-07	16	16	125	16				0.25
SDJ2CR/L-2020K-07	20	20	125	20				0.39
SDJ2CR/L-2525M-07	25	25	150	25				0.74
SDJ2CR/L-1010H-11	10	10	100	10	DC..11T3..	MS4009A	ETF15	0.08
SDJ2CR/L-1010K-11	10	10	125	10				0.12
SDJ2CR/L-1212H-11	12	12	100	12		MS4011A		0.12
SDJ2CR/L-1212K-11	12	12	125	12				0.15
SDJ2CR/L-1616K-11	16	16	125	16				0.25
SDJ2CR/L-2020K-11	20	20	125	20				0.39
SDJ2CR/L-2525M-11	25	25	150	25				0.74
SDJ2CR/L-3232P-11	32	32	170	32				1.43

SDNC







Neutral

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SDNCN-1010H-07	10	10	100	5	DC..0702..	MS2506B	ETF09	0.08
SDNCN-1212H-07	12	12	100	6				0.12
SDNCN-1616K-07	16	16	125	8				0.26
SDNCN-1212H-11	12	12	100	6	DC..11T3..	MS4011A	ETF15	0.12
SDNCN-1212K-11	12	12	125	6				0.15
SDNCN-1616K-11	16	16	125	8				0.26
SDNCN-2020K-11	20	20	125	10				0.41
SDNCN-2525M-11	25	25	150	12.5				0.77

SDQC






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SDQCR/L-1212H-11	12	12	100	16	DC..11T3..	MS4011A	ETF15	0.12
SDQCR/L-1616K-11	16	16	125	20				0.26
SDQCR/L-2020K-11	20	20	125	25				0.41
SDQCR/L-2525M-11	25	25	150	32				0.77

SRAC






Right-hand shown

Item code	Dimensions,mm					Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F	L1				
SRACR/L-1010H-05	10	10	100	10.3	10.5	RC..0502..	MS2206A	ETF07	0.08
SRACR/L-1212H-05	12	12	100	12.3	10.5				0.12
SRACR/L-1616K-05	16	16	125	16.3	10.5				0.26
SRACR/L-2020K-05	20	20	125	20.3	10.5				0.41
SRACR/L-2525M-05	25	25	150	25.3	10.5				0.77
SRACR/L-1010H-06	10	10	100	10.3	11	RC..0602..	MS2506A	ETF09	0.08
SRACR/L-1212H-06	12	12	100	12.3	11				0.12
SRACR/L-1616K-06	16	16	125	16.3	11				0.26
SRACR/L-2020K-06	20	20	125	20.3	11				0.41
SRACR/L-2525M-06	25	25	150	25.3	11				0.77
SRACR/L-1212K-08	12	12	125	12.4	14	RC..0803..	MS3008A	ETF09	0.15
SRACR/L-1616K-08	16	16	125	16.4	14				0.26
SRACR/L-2020K-08	20	20	125	20.4	15				0.41
SRACR/L-2525M-08	25	25	150	25.4	15				0.77
SRACR-3.4H-08	9.5	12.7	100	13.1	14				0.10
SRACR/L-1212K-1003	12	12	125	12.4	20	RC..1003..	MS3008A	ETF09	0.15
SRACR/L-1616K-1003	16	16	125	16.4	20				0.26
SRACR/L-2020K-1003	20	20	125	20.4	20				0.41
SRACR/L-2525M-1003	25	25	150	25.4	20				0.77

SRDC






Neutral

Item code	Dimensions,mm					Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F	L1				
SRDCN-1010H-05	10	10	100	5	10.5	RC..0502..	MS2206A	ETF07	0.08
SRDCN-1212K-05	12	12	125	6	10.5				0.15
SRDCN-1616K-05	16	16	125	8	10.5				0.26
SRDCN-2020K-05	20	20	125	10	10.5				0.41
SRDCN-2525M-05	25	25	150	12.5	10.5				0.77
SRDCN-1010K-06	10	10	125	5	12	RC..0602..	MS2506A	ETF09	0.11
SRDCN-1212K-06	12	12	125	6	12				0.15
SRDCN-1616K-06	16	16	125	8	12				0.26
SRDCN-2020K-06	20	20	125	10	12				0.41
SRDCN-2525M-06	25	25	150	12.5	12				0.77
SRDCN-3.4H-06	9.5	12.7	100	6.35	13				0.09
SRDCN-1012H-08	10	12	100	6	12	RC..0803..	MS3008A	ETF09	0.09
SRDCN-1212H-08	12	12	100	6	12				0.12
SRDCN-1212K-08	12	12	125	6	12				0.15
SRDCN-1616K-08	16	16	125	8	12				0.26
SRDCN-2020K-08	20	20	125	10	12				0.41
SRDCN-2525M-08	25	25	150	12.5	12				0.77
SRDCN-1212K-1003	12	12	125	6	20	RC..1003..	MS3008A	ETF09	0.15
SRDCN-1616K-1003	16	16	125	8	20				0.26
SRDCN-2020K-1003	20	20	125	10	20				0.41
SRDCN-2525M-1003	25	25	150	12.5	20				0.77
SRDCN-3232P-1003	32	32	170	16	20				1.43

SRGC






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SRGCR/L-1212K-06	12	12	125	16	RC..0602..	MS2506A	ETF09	0.15
SRGCR/L-1616K-06	16	16	125	20				0.26
SRGCR/L-2020K-06	20	20	125	25				0.41
SRGCR/L-2525M-06	25	25	150	32				0.71
SRGCR/L-1616K-08	16	16	125	20	RC..0803..	MS3008A	ETF09	0.26
SRGCR/L-2020K-08	20	20	125	25				0.41
SRGCR/L-2525M-08	25	25	150	32				0.77
SRGCR-10.4H-08	10	12.7	100	16				0.10

SSAC






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SSACR/L-3.4H-09	9.5	12.7	100	12.7	SC..09T3..	MS4009A	ETF15	0.09
SSACR/L-4.4H-09	12.7	12.7	100	12.7		MS4011A		0.13
SSACR-1212H-09	12	12	100	12				0.12
SSACR/L-1616K-09	16	16	125	16				0.26

SSBC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SSBCR/L-3.4H-09	9.5	12.7	100	12.7	SC..09T3..	MS4009A	ETF15	0.09
SSBCR/L-4.4H-09	12.7	12.7	100	12.7		MS4011A		0.13
SSBCR/L-1212H-09	12	12	100	12				0.12

SSDC






Neutral

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SSDCN-3.4H-09	9.5	12.7	100	6.35	SC..09T3..	MS4009A	ETF15	0.09
SSDCN-4.4H-09	12.7	12.7	100	6.35		MS4011A		0.13
SSDCN-1212H-09	12	12	100	6				0.12
SSDCN-1616K-09	16	16	125	8				0.26
SSDCN-2020K-09	20	20	125	10				0.41
SSDCN-2525M-09	25	25	150	12.5				0.77

SSEC








Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SSECR/L-3.4H-09	9.5	12.7	100	12.7	SC..09T3..	MS4009A	ETF15	0.09
SSECR/L-4.4H-09	12.7	12.7	100	12.7		MS4011A		0.13
SSECR/L-1212H-09	12	12	100	12				0.12

SSXC








Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
SSXCR-3.4H-09	9.5	12.7	100	12.7	SC..09T3..	MS4009A	ETF15	0.09

STAC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
STACR-1010H-11	10	10	100	10	TC..1102..	MS2506A	ETF09	0.08
STACR-1212H-11	12	12	100	12				0.12
STACR-1616K-11	16	16	125	16				0.26
STACR-3.4H-11	9.5	12.7	100	12.7				0.09
STACR-4.4H-11	12.7	12.7	100	12.7				0.13
STACR-1616K-16	16	16	125	16	TC..16T3..	MS4011A	ETF15	0.26
STACR-4.16K-16	12.7	16	125	16				0.25

STFC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
STFCR/L-2020K-16	20	20	125	25	TC..16T3..	MS4011A	ETF15	0.41
STFCR/L-2525M-16	25	25	150	32				0.77

STGC/P






Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F				
STGCR/L-1212K-16	12	12	125	16	TC..16T3..	MS4011A	ETF15	0.15
STGCR/L-1616K-16	16	16	125	20				0.26
STGCR/L-2020K-16	20	20	125	25				0.41
STGCR/L-2525M-16	25	25	150	32				0.77
STGPR -2020K-1603	20	20	125	25	TP..1603..	MS4011A	ETF15	0.41
STGPR -2525M-1603	25	25	150	32				0.77

STCP






Right-hand shown

Item code	Dimensions,mm					Insert	Screw	Wrench	Weight Kg
	H(H1)	B	L	F	T				
STCPR/L-2525M-09	25	25	150	25.5	25	TP..0902	MS2506A	ETF09	0.78
STCP /L-2525M-11	25	25	150	25.4	23	TP..1103	MS3008A	ETF09	0.78

CTYC







Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Wrench	Screw	Clamp	Weight Kg
	H(H1)	B	L	F						
CTYCR/L-2020K-16	20	20	125	25	TC..16T3..	MS4011A	ETF15	MS625TX	MC620	0.45

CTGP





Right-hand shown

Item code	Dimensions,mm				Insert	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F					
CTGPR-1616K-16	16	16	125	20	TP.N1603..	MS625TX	MC620	ETL15	0.29
CTGPR-2020K-16	20	20	125	25					0.45
CTGPR-2525M-16	25	25	150	32		MS630TX			0.84

SVJB/C..CL



SVJB/C




FIG-1





FIG-2



Right-hand shown


FIG-1 Item code 雙重鎖固Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固Screw	Spare parts	Dimensions,mm H(H1)	B	L	F	Insert	Weight Kg
SVJBR/L-1010H-11CL	②	SVJBR/L-1010H-11	①	10	10	100	12	VB..1103..	0.08
SVJBR/L-1212K-11CL		SVJBR/L-1212K-11		12	12	125	16		0.15
SVJBR/L-1616K-11CL		SVJBR/L-1616K-11		16	16	125	20		0.26
SVJBR/L-2020K-11CL		SVJBR/L-2020K-11		20	20	125	25		0.41
SVJBR/L-2525M-11CL		SVJBR/L-2525M-11		25	25	150	32		0.77
SVJBR/L-1616K-16CL	④	SVJBR/L-1616K-16	③	16	16	125	20	VB..1604..	0.26
SVJBR/L-2020K-16CL		SVJBR/L-2020K-16		20	20	125	25		0.41
SVJBR/L-2525M-16CL		SVJBR/L-2525M-16		25	25	150	32		0.77
SVJBR/L-3232P-16CL		SVJBR/L-3232P-16		32	32	170	40		1.43
SVJCR/L-1010H-11CL	②	SVJCR/L-1010H-11	①	10	10	100	12	VC..1103..	0.08
		SVJCR/L-1010K-11		10	10	125	12		0.11
		SVJCR/L-1212H-11		12	12	100	16		0.12
SVJCR/L-1212K-11CL		SVJCR/L-1212K-11		12	12	125	16		0.15
SVJCR/L-1616K-11CL		SVJCR/L-1616K-11		16	16	125	20		0.26
SVJCR/L-2020K-11CL		SVJCR/L-2020K-11		20	20	125	25		0.41
SVJCR/L-2525M-11CL		SVJCR/L-2525M-11		25	25	150	32		0.77
SVJCR/L-1616K-16CL	④	SVJCR/L-1616K-16	③	16	16	125	20	VC..1604..	0.26
SVJCR/L-2020K-16CL		SVJCR/L-2020K-16		20	20	125	25		0.41
SVJCR/L-2525M-16CL		SVJCR/L-2525M-16		25	25	150	32		0.77
SVJCR/L-3232P-16CL		SVJCR/L-3232P-16		32	32	170	40		1.43

Insert	Spare parts	Shim	Screw	Wrench	Screw	Wrench	Clamp	Wrench
VB/VC..1103..	①	--	--	--	MS2506A	ETF09	--	--
VB/VC..1103..	②	--	--	--	MS2506A	ETF09	MC35-5V	ETF15
VB/VC..1604..	③	VSS322	MDS05035S	PL35	MS3512B	ETF15	--	--
VB/VC..1604..	④	VSS322	MDS05035S	PL35	MS3512B	--	MC35-3V	ETF15

SVJ2B/C..CL




FIG-1



SVJ2B/C



FIG-2



Right-hand shown


FIG-1 Item code 雙重鎖固 Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固 Screw	Spare parts	Dimensions,mm H(H1)	B	L	F	Insert	Weight Kg
		SVJ2BR/L-1010H-11	①	10	10	100	10	VB..1103..	0.08
SVJ2BR/L-1010K-11CL	②	SVJ2BR/L-1010K-11		10	10	125	10		0.12
SVJ2BR/L-1212H-11CL		SVJ2BR/L-1212H-11		12	12	100	12		0.12
SVJ2BR/L-1212K-11CL		SVJ2BR/L-1212K-11		12	12	125	12		0.15
		SVJ2BR/L-1616K-11		16	16	125	16		0.26
		SVJ2BR/L-2020K-11		20	20	125	20		0.41
SVJ2CR/L-1010H-11CL	②	SVJ2CR/L-1010H-11	①	10	10	100	10	VC..1103..	0.08
SVJ2CR/L-1212H-11CL		SVJ2CR/L-1212H-11		12	12	100	12		0.12
SVJ2CR/L-1212K-11CL		SVJ2CR/L-1212K-11		12	12	125	12		0.15
SVJ2CR/L-1616K-11CL		SVJ2CR/L-1616K-11		16	16	125	16		0.26
SVJ2CR/L-2020K-11CL		SVJ2CR/L-2020K-11		20	20	125	20		0.41
		SVJ2CR/L-1616K-16H	③	16	16	125	16	VC..1604..	0.26
SVJ2CR/L-1616K-16CL	⑤	SVJ2CR/L-1616K-16	④	16	16	125	16	VC..1604..	0.26
SVJ2CR/L-2020K-16CL		SVJ2CR/L-2020K-16		20	20	125	20		0.41
SVJ2CR/L-2525M-16CL		SVJ2CR/L-2525M-16		25	25	150	25		0.77

Insert	Spare parts	Shim	Screw	Wrench	Screw	Wrench	Clamp	Wrench
VB/VC..1103..	①	--	--	--	MS2506A	ETF09	--	--
VB/VC..1103..	②	--	--	--	MS2506A	ETF09	MC35-5V	ETF15
VC..1604..	③	--	--	--	MS3509B	ETF15	--	--
VC..1604..	④	VSS322	MDS05035S	PL35	MS3512B	ETF15	--	--
VC..1604..	⑤	VSS322	MDS05035S	PL35	MS3512B	--	MC35-3V	ETF15

SVQB/C..CL



SVQB/C



SVQ2C



FIG-1






FIG-2



Right-hand shown

FIG-3



Right-hand shown

FIG-1 Item code 雙重鎖固Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固Screw	Spare parts	Dimensions,mm H(H1)	B	L	F	Insert	Weight Kg
SVQBR/L-1212H-11CL	②	SVQBR/L-1212H-11	①	12	12	100	16.5	VB..1103..	0.12
SVQBR/L-1212K-11CL		SVQBR/L-1212K-11		12	12	125	16.5		0.15
SVQBR/L-1616K-11CL		SVQBR/L-1616K-11		16	16	125	20.5		0.26
SVQBR/L-2020K-11CL		SVQBR/L-2020K-11		20	20	125	25		0.41
SVQBR/L-2020K-16CL	④	SVQBR/L-2020K-16	③	20	20	125	25	VB..1604..	0.41
SVQBR/L-2525M-16CL		SVQBR/L-2525M-16		25	25	150	32		0.77
SVQBR/L-3232P-16CL				32	32	170	40		1.33
SVQCR/L-1212H-11CL	②	SVQCR/L-1212H-11	①	12	12	100	16.5	VC..1103..	0.12
SVQCR/L-1212K-11CL		SVQCR/L-1212K-11		12	12	125	16.5		0.15
SVQCR/L-1616K-11CL		SVQCR/L-1616K-11		16	16	125	20.5		0.26
SVQCR/L-2020K-11CL		SVQCR/L-2020K-11		20	20	125	25		0.41
SVQCR/L-2020K-16CL	④	SVQCR/L-2020K-16	③	20	20	125	25	VC..1604..	0.41
SVQCR/L-2525M-16CL		SVQCR/L-2525M-16		25	25	150	32		0.77
SVQCR/L-3232P-16CL				32	32	170	40		1.33
		FIG-3 Item code							
		SVQ2CR/L-1212K-11	①	12	12	125	12	VC..1103..	0.15
		SVQ2CR/L-1616K-11		16	16	125	16		0.26

Insert	Spare parts	Shim	Screw	Wrench	Screw	Wrench	Clamp	Wrench
VB/VC..1103..	①	--	--	--	MS2506A	ETF09	--	--
VB/VC..1103..	②	--	--	--	MS2506A	ETF09	MC35-3V	ETF15
VB/VC..1604..	③	VSS322	MDS05035S	PL35	MS3512B	ETF15	--	--
VB/VC..1604..	④	VSS322	MDS05035S	PL35	MS3512B	--	MC35-3V	ETF15

SVUB/C..CL



SVUB/C




FIG-1





FIG-2



Right-hand shown

FIG-1 Item code 雙重鎖固Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固Screw	Spare parts	Dimensions,mm H(H1)	B	L	F	Insert	Weight Kg
SVUBR/L-1616K-11-L08CL	②	SVUBR/L-1616K-11-L08	①	16	16	125	24	VB..1103..	0.26
SVUCR/L-1616K-11-L08CL	②	SVUCR/L-1616K-11-L08	①	16	16	125	24	VC..1103..	0.26
SVUCR/L-2020M-16-L12CL	④	SVUCR/L-2020M-16-L12	③	20	20	150	32	VC..1604..	0.51
SVUCR/L-2525M-16-L12CL		SVUCR/L-2525M-16-L12		25	25	150	37		0.77
		SVUCR -2525M-16-L14		25	25	150	39		0.77

SVVCR..CL



SVVC




FIG-1





FIG-2



Right-hand shown

FIG-1 Item code 雙重鎖固Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固Screw	Spare parts	Dimensions,mm H(H1)	B	L	F	Insert	Weight Kg
		SVVCL-3.3H-11	①	9.5	9.5	100	3.5	VC..1103..	0.08
		SVVCR/L-4.4H-11		12.7	12.7	100	3.5		0.13
		SVVCR-1616K-11		16	16	125	3.5		0.26
		SVVCR-2020K-11		20	20	125	3.5		0.41
SVVCR-1616K-16CL	④	SVVCR-1616K-16	③	16	16	125	5	VC..1604..	0.26
SVVCR-2020K-16CL		SVVCR-2020K-16		20	20	125	5		0.41
SVVCR-2525M-16CL		SVVCR-2525M-16		25	25	150	5		0.77

SVVB/CN..CL





FIG-1



SVVB/CN





FIG-2



Neutral


FIG-1 Item code 雙重鎖固Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固Screw	Spare parts	Dimensions,mm				Insert	Weight Kg
				H(H1)	B	L	F		
SVVBN-1010H-11CL	③	**SVVBN-1010H-11**	①	10	10	100	5	VB..1103..	0.08
SVVBN-1212H-11CL		**SVVBN-1212H-11**		12	12	100	6		0.12
SVVBN-1212K-11CL		**SVVBN-1212K-11**		12	12	125	6		0.15
SVVBN-1616K-11CL		**SVVBN-1616K-11**		16	16	125	8		0.26
SVVBN-2020K-11CL		**SVVBN-2020K-11**		20	20	125	10		0.41
SVVBN-2525M-11CL		**SVVBN-2525M-11**		25	25	150	12.5		0.77
SVVBN-1616K-16CL	⑤	**SVVBN-1616K-16**	④	16	16	125	8	VB..1604..	0.26
SVVBN-2020K-16CL		**SVVBN-2020K-16**		20	20	125	10		0.41
SVVBN-2525M-16CL		**SVVBN-2525M-16**		25	25	150	12.5		0.77
SVVBN-3232P-16CL		**SVVBN-3232P-16**		32	32	170	16		1.43
SVVCN-1010H-11CL	③	**SVVCN-1010H-11**	①	10	10	100	5	VC..1103..	0.08
SVVCN-1212H-11CL		**SVVCN-1212H-11**		12	12	100	6		0.12
SVVCN-1212K-11CL		**SVVCN-1212K-11**		12	12	125	6		0.15
SVVCN-1616K-11CL		**SVVCN-1616K-11**		16	16	125	8		0.26
SVVCN-2020K-11CL		**SVVCN-2020K-11**		20	20	125	10		0.41
SVVCN-2525M-11CL		**SVVCN-2525M-11**		25	25	150	12.5		0.77
SVVCN-1616K-16CL	⑤	**SVVCN-1616K-16**	④	16	16	125	8	VC..1604..	0.26
SVVCN-2020K-16CL		**SVVCN-2020K-16**		20	20	125	10		0.41
SVVCN-2525M-16CL		**SVVCN-2525M-16**		25	25	150	12.5		0.77
SVVCN-3232P-16CL		**SVVCN-3232P-16**		32	32	170	16		1.43

Insert	Spare parts	Shim	Screw	Wrench	Screw	Wrench	Clamp	Wrench
VB/VC..1103..	①	--	--	--	MS2506A	ETF09	--	--
VB/VC..1103..	②	--	--	--	MS2506A	ETF09	MC35-3V	ETF15
VB/VC..1103..	③	--	--	--	MS2506A	ETF09	MC35-5V	ETF15
VB/VC..1604..	④	VSS322	MDS05035S	PL35	MS3512B	ETF15	--	--
VB/VC..1604..	⑤	VSS322	MDS05035S	PL35	MS3512B	ETF15	MC50V	ETF20

SVA3CL..CL




FIG-1



SVA3CL




FIG-2




Left-hand shown

FIG-1 Item code 雙重鎖固Screw+Clamp	Spare parts	FIG-2 Item code 螺絲鎖固 Screw	Spare parts	Dimensions,mm				Insert	Weight Kg
				H(H1)	B	L	F		
SVA3CL-1212K-11CL	②	SVA3CL-1212K-11	①	12	12	125	8.6	VC..1103..	0.15
SVA3CL-1616K-11CL		SVA3CL-1616K-11		16	16	125			0.26
SVA3CL-2020K-11CL		SVA3CL-2020K-11		20	20	125			0.41
SVA3CL-2525M-11CL		SVA3CL-2525M-11		25	25	150			0.77

LMH 外徑墊高輔助刀座






Item code	Dimensions,mm					Weight Kg
	H	W	L	H1	W1	
LMH-16-20G	19.8	19.8	90	4	4	0.11
LMH-20-25H	24.8	24.8	100	5	5	0.19
LMH-25-32M	31.8	31.8	150	7	7	0.50

SDJ2C-A






Right-hand shown

Item code 水孔Coolant	Dimensions,mm H(H1)	B	L	F	Insert	Spare parts	Weight Kg
SDJ2CR-A1212K-11	12	12	125	12	DC..11T3..	①	0.15
SDJ2CR-A1616K-11	16	16	125	16			0.25

SVJ2C-A






Right-hand shown

Item code 水孔Coolant	Dimensions,mm H(H1)	B	L	F	Insert	Spare parts	Weight Kg
SVJ2CR-A1212K-11	12	12	125	12	VC..1103..	②	0.15




Insert	Spare parts	Screw	Wrench	Washer	Joint bolt
DC..11T3..	①	MS4011A	ETF15	HS-M6-D1010T	MUF063
VC..1103..	②	MS2506A	ETF09	HS-M6-D1010T	MUF063

※ 此刀桿附 MUF063 接頭 (This tool equips with a joint bolt MUF063)
※ 可供選購的管線零件，請參考下一頁。(另售)
Optional piping parts are available in the next page. (sold separately)


(1) 高壓管 High pressure pipe


Shape	Item code	螺紋規格 Thread Standard	Dimensions,mm L
	HPP06UF-250	UNF 3/8-24	250
	HPP06UF-350	UNF 3/8-24	350

(2) 接頭 Joint bolt

Shape	Item code	螺紋規格 Thread Standard 刀桿/機台連接端 Thread connection to the machine	
	MUF-063	M6	UNF 3/8-24
	MUFA21-0706	UNF 7/16-20	UNF 3/8-24
	MUFB11-PU0206	PT 1/8	UNF 3/8-24

(3) 華司 Washer

Shape	Item code
	HS-M6-D1010T



※ 請依據機台與出水裝置，選擇高壓管 (1)，接頭 (2)。
Choose among high pressure pipe (1), joint bolt (2) based on the machine spec. and piping configuration.


MEMO


英制規格

IMPERIAL



MCLN






Right-hand shown

Item code	Dimensions, inch				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
NEW IMCLNR/L12-4B	0.75	0.75	4.5	1	CN..43.. (CN..1204)	MLP46-A	CMS432	PL25	MS625TX	MC620	ETL15	0.39
NEW IMCLNR/L16-4D	1	1	6	1.25					MS630TX			0.85

MTJN






Right-hand shown

Item code	Dimensions, inch				Insert	Pin	Screw	Wrench	Shim	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
NEW IMTJNR/L12-3B	0.75	0.75	4.5	1	TN..33.. (TN..1604)	MCP3	MCS3S-11	PL30	TWS322	MCW3-P40	PL40	0.39
NEW IMTJNR/L16-3D	1	1	6	1.25								0.85

MWLN
















Right-hand shown

Item code	Dimensions, inch				Insert	Pin	Shim	Wrench	Screw	Clamp	Wrench	Weight Kg
	H(H1)	B	L	F								
NEW IMWLNR/L12-4B	0.75	0.75	4.5	1	WN..43.. (WN..1204)	MLP46-A	WMS432	PL25	MS625TX	MC620	ETL15	0.39
NEW IMWLNR/L16-4D	1	1	6	1.25					MS630TX			0.85




被切削材 Workpiece material											
	Steel 鋼	P	●		●		●	●			
	Stainless steel 不銹鋼	M	●	●			●				
	Cast iron 鑄鐵	K	●			●	●				
	Non-ferrous metal 非鐵金屬	N							●	●	●

Insert Shape	Description	GRADE 材質									Dimensions,mm			
		Coated 塗層				Cermet 金屬陶瓷		Carbide(Uncoated) 硬質合金(無塗層)						
		NW948	NV230	NV118	NV308	NY942	NY138	NM304	H01	CD10	A	S	d	Re
	CNMG120404	●					●		●		12.7	4.76	5.16	0.4
	CNMG120408	●					●	●	●		12.7	4.76	5.16	0.8
	DNMG150404	●						●			12.7	4.76	5.16	0.4
	DNMG150408	●						●			12.7	4.76	5.16	0.8
	DNMG150604	●									12.7	6.35	5.16	0.4
	DNMG150608										12.7	6.35	5.16	0.8
	SNMG120404	●									12.7	4.76	5.16	0.4
	SNMG120408	●									12.7	4.76	5.16	0.8
	TNGG160402L					●					9.525	4.76	3.81	0.2
	TNMG160404L					●					9.525	4.76	3.81	0.4
	TNMG160408L					●					9.525	4.76	3.81	0.8
	TNGG160402R					●					9.525	4.76	3.81	0.2
	TNMG160404R					●					9.525	4.76	3.81	0.4
	TNMG160408R					●					9.525	4.76	3.81	0.8
	TNMG160404	●				●		●	●		9.525	4.76	3.81	0.4
	TNMG160408	●				●		●	●		9.525	4.76	3.81	0.8
	VNMG160404	●							●		9.525	4.76	3.81	0.4
	VNMG160408	●							●		9.525	4.76	3.81	0.8
	WNMG080404	●									12.7	4.76	5.16	0.4
	WNMG080408	●									12.7	4.76	5.16	0.8






被切削材 Workpiece material												
	Steel 鋼	P	●		●	●	●	●				
	Stainless steel 不銹鋼	M	●	●		●	●					
	Cast iron 鑄鐵	K	●			●	●		●			
	Non-ferrous metal 非鐵金屬	N							●	●	●	

Insert Shape	Description	GRADE 材質									Dimensions,mm			
		Coated 塗層			Cermet 金屬陶瓷			Carbide(Uncoated) 硬質合金(無塗層)						
		NW948	NV230	NV118	TN60	NY942	NY138	NM304	H01	CD10	A	S	d	Re
	CCMT060204	●				●		●			6.35	2.38	2.8	0.4
	CCMT060208	●									6.35	2.38	2.8	0.8
	CCMT080304		●								7.94	3.18	3.4	0.4
	CCMT09T304	●				●					9.525	3.97	4.4	0.4
	CCMT09T308	●	●								9.525	3.97	4.4	0.8
	CCMT120404	●									12.7	4.76	5.0	0.4
	CCMT120408	●									12.7	4.76	5.0	0.8
	CCGT03S102R/L F	●				●					3.97	1.39	2.0	0.2
	CCGT04T004R/L F					●					4.76	1.79	2.4	0.4
	CCGT030102R/L F				●						3.5	1.4	1.9	0.2
	CCGT040104R/L F				●						4.3	1.8	2.3	0.4
	CCGT09T304AK								●		9.525	3.97	4.4	0.4
	CCGT09T308AK								●		9.525	3.97	4.4	0.8
	CCGT060204AL										6.35	2.38	2.8	0.4
	CCGT09T304AL									●	9.525	3.97	4.4	0.4
	CCGT09T308AL									●	9.525	3.97	4.4	0.8
	CPMT060204LF										6.35	2.38	2.8	0.4
	CPMH080204MV	●									7.94	2.38	3.4	0.4
	CPMH090304MV	●									9.525	3.18	4.5	0.4
	CPMH090308MV	●									9.525	3.18	4.5	0.8
	DCMT070204		●								6.35	2.38	2.8	0.4
	DCMT11T304					●					9.525	3.97	4.4	0.4
	DCMT11T308	○				●					9.525	3.97	4.4	0.8
	DCMT070204MV	●				●					6.35	2.38	2.8	0.4
	DCMT11T304MV	●				○					9.525	3.97	4.4	0.4
	DCMW070204							●			6.35	2.38	2.8	0.4
	DCMW11T308							●			9.525	3.97	4.4	0.8
	DCGT070204AK								●		6.35	2.38	2.8	0.4
	DCGT11T304AK								●		9.525	3.97	4.4	0.4
	DCGT070204AL										6.35	2.38	2.8	0.4
	DCGT11T304AL										9.525	3.97	4.4	0.4
	RCMT0502MO										5	2.38	2.5	-
	RCMT0602MO	●	●			●					6	2.38	2.8	-
	RCMT0803MO	●				●					8	3.18	3.4	-
	RCMX1003MO					●					10	3.18	3.6	-
														-
	RCGT0803MO-AZ							●			8	3.18	3.4	-
	SCMT09T304EN										9.525	3.97	4.4	0.4

被切削材 Workpiece material											
	Steel 鋼	P	●	●	●	●	●	●			
	Stainless steel 不銹鋼	M	●	●			●	●			
	Cast iron 鑄鐵	K	●			●	●	●	●		
	Non-ferrous metal 非鐵金屬	N							●	●	●

Insert Shape	Description	GRADE 材質									Dimensions,mm			
		Coated 塗層			Cermet 金屬陶瓷			Carbide(Uncoated) 硬質合金(無塗層)						
		NW948	PR930	NV118	TI200A	NY942	TN60	NM304	H01	CD10	A	S	d	Re
	TBGT060102L						●				3.97	1.59	2.3	0.2
	TBGT060104L						●				3.97	1.59	2.3	0.4
	TBGT060102LW				●						3.97	1.59	2.2	0.2
	TBGT060104LW										3.97	1.59	2.2	0.4
	TCGT060102LF					●		●			3.97	1.59	2.3	0.2
	TCMT090204	●						●			5.56	2.38	2.5	0.4
	TCMT110204	●						●			6.35	2.38	2.8	0.4
	TCMT16T304	●						●			9.525	3.97	4.4	0.4
	TCMT16T308	●						●			9.525	3.97	4.4	0.8
	TCGT110204AK										6.35	2.38	2.8	0.4
	TCGT16T304AK								●		9.525	3.97	4.4	0.4
	TCGT16T308AK								●		9.525	3.97	4.4	0.8
	TCGT110204FN									●	6.35	2.38	2.8	0.4
	TCGT16T304AL									●	9.525	3.97	4.4	0.4
	TCGT16T308AL									○	9.525	3.97	4.4	0.8
	TPMH080204MV	●									4.76	2.38	2.4	0.4
	TPMH090204MV	●									5.56	2.38	2.9	0.4
	TPMH110304MV	●									6.35	3.18	3.4	0.4
	TPMH160304MV	●		●							9.525	3.18	4.4	0.4
	TPMH160308MV	●									9.525	3.18	4.4	0.8
	TPMT16T304-24										9.525	3.97	4.4	0.4
	TPMT160404NFK										9.525	4.76	4.4	0.4
	TPGH080202LFS	●				●					4.76	2.38	2.4	0.2
	TPGH080204LFS	●				●					4.76	2.38	2.4	0.4
	TPGH090202LFS					●		●			5.56	2.38	2.9	0.2
	TPGH090204LFS					●		●			5.56	2.38	2.9	0.4
	TPGH110302LFS					●					6.35	3.18	3.3	0.2
	TPGH110304LFS					●					6.35	3.18	3.3	0.4
	TPGH160304LFS					●					9.525	3.18	4.4	0.4
	TPGH160308LFS	●									9.525	3.18	4.4	0.8
	TPGH080202L						●				4.76	2.38	2.4	0.2
	TPGH080204L						●				4.76	2.38	2.4	0.4
	TPGH090202L						●				5.56	2.38	2.9	0.2
	TPGH090204L		●				●				5.56	2.38	2.9	0.4
	TPGH110302L										6.35	3.18	3.3	0.2
	TPGH110304L		●				●				6.35	3.18	3.3	0.4

被切削材 Workpiece material											
	Steel 鋼	P	●		●	●	●	●			
	Stainless steel 不銹鋼	M		●		●	●	●			
	Cast iron 鑄鐵	K			●	●	●	●	●		
	Non-ferrous metal 非鐵金屬	N							●	●	●

Insert Shape	Description	GRADE 材質									Dimensions,mm			
		Coated 塗層				Cermet 金屬陶瓷		Carbide(Uncoated) 硬質合金(無塗層)						
		NV118	NV230	NA911	NW948	NY942	TN60	NM304	KW10	CD10	A	S	d	Re
	VBMT110304MV	●		●	●	●					6.35	3.18	2.8	0.4
	VBMT160404MV				●						9.53	4.76	4.4	0.4
	VBMT160408MV				●						9.53	4.76	4.4	0.8
	VBMT110304HQ						●				6.35	3.18	2.9	0.4
	VBMT160404HQ										9.53	4.76	4.4	0.4
	VBMT160408HQ										9.53	4.76	4.4	0.8
	VCMT080204MV				●	●					4.76	2.38	2.4	0.4
	VCMT110304		●		●	●					6.35	3.18	2.8	0.4
	VCMT160404		●		●	●					9.53	4.76	4.4	0.4
	VCMT160408		●		●	●					9.53	4.76	4.4	0.8
	VCGT110304AK										6.35	3.18	2.8	0.4
	VCGT160404FN									●	9.525	4.76	4.4	0.4
	VCGT160408AL									●	9.525	4.76	4.4	0.8
	VCGT220530AL									●	12.7	5.56	5.5	3.0
 Left hand	WBMT060104L-DP						●				3.97	1.59	2.3	0.4
	WBGT060104LF						●		●		3.97	1.59	2.3	0.4
 Right hand	WBMT060104R-DP						●				3.97	1.59	2.3	0.4
	WBGT060104RF						●				3.97	1.59	2.3	0.4
	WCMT020104										3.97	1.59	2.3	0.4
	WCGT020102L					●		●			3.97	1.59	2.3	0.2